



The Cleasby ***EXT-52 SERIES***



52' Extendable Fiberglass Roof Conveyor

ROOFING **CONTRACTOR**
Magazine



IRE CONVENTION



PATENT # 9,611,098 B1



DELIVER ROOFING MATERIALS AT VARIOUS LENGTHS

Retracted Length: 36 feet

Extended Length: 52 feet


STANDARD TRUCK CHASSIS WITH 24' BED

www.cleasby.com


www.cleasbyconveyors.com



EXT-52 CONVEYOR FEATURES



SPECIFICATIONS



CONVEYOR

Conveyor Extended Length	52'-0"
Conveyor Retracted Length	36'-0"
Maximum Discharge Height	50'-0"
Belt Width	18"
Cleat Height	2-1/2"

TURNTABLE AND TRUCK

Minimum Truck Bed Length:	24'-0"
Load Clearance on Truck:	5'-4"
360-Degree Continuous Rotation	
5 Function Control Valve	

WEIGHTS

EXT-52 Conveyor	2,398 LBS.
XHDRTH-4000 Turntable	1,676 LBS.
HYD. Outriggers	760 LBS.
TOTAL WEIGHT	4,834 LBS.





XHDRTH-4000 TURNTABLE

360 Continuous Rotation


The XHDRTH-4000 Turntable was designed specifically for the EXT-52 Conveyor. The Heavy Duty Turntable's post lifts up to allow a load clearance of 64 inches. The post will also lower down to a load height of 30 inches.



OUTRIGGERS

The truck outriggers are hydraulic operated and provides great stability for the truck and turntable.

Outrigger extension past truck body is 22 inches. Installed safety sensors ensures that the outriggers are extended and down before the conveyor will operate.



SAFETY

Sensory features that help keep you safe

The EXT-52 Conveyor is equipped with a safety check system. The system senses and monitors certain components of the conveyor's system and indicates whether those components are in place and being used as intended.

THE CONVEYOR WITH REACH FOR TIGHT SPOTS





Cleasby Conveyors
Clearfield, UT
Toll Free: 800.453.2446
Fax 801.773.8608
www.CleasbyConveyors.com



Cleasby MFG Co. Inc.
San Francisco, CA
Toll Free: 800.253.2729
Fax 415.822.1843
www.Cleasby.com



Cleasby MFG of Denver
Westminster, CO
Toll Free: 800.525.1399
Fax 303.426.5273
www.Cleasby.com